

The Ventrac ET200 makes quick work of any clean up job. The **Turbine Blower** is designed to blow large volumes of air, and is much quieter than a conventional leaf blower. The ET200 can be used to blow leaves, light snow, and remove debris from sidewalks, parking lots and other areas.

The ET200 Turbine Blower's powerful front discharge nozzle can be hydraulically rotated 360 degrees from the comfort of the operator's seat. When the nozzle is pointed downward, it's a perfect position for cart paths and areas where a wider path needs cleared. The nozzle can also be pointed upwards to remove leaves from trees, or out to either side. The front bumper protects the nozzle from damage.



Power and control allow you to move through your clean up work simply, quietly, and efficiently. The Ventrac Mount System allows you to get attached quickly, and move on to the next job.



Standard Features:

- One-Piece Aerospace Polymer discharge nozzle
- Flat Free Tire
- High Volume Air Flow
- Reduced Noise Level
- Nozzle Rotation controlled hydraulically from the tractor seat.
- 360 degree nozzle rotation
- Built-In Bumper
- Ventrac Mount System



Specifications

Turbine Blower ET200

4000 series

ET200

Stock Code	39.55340
Hydraulic Nozzle Control	360 degrees
Nozzle Size	12 inches (31 cm)
Speed out of Nozzle*	175 MPH (282 KPH)

* based on 3650 engine RPM

Dimensions

Length	76 inches (193 cm)
Width	27 inches (69 cm)
Height (nozzle turned down)	34 inches (86 cm)
Height (nozzle turned up)	47 inches (119 cm)
Weight	256 lbs (116 kgs)
Shipping weight	352 lbs (160 kgs)
Shipping Dimensions (LWH)	80x31x35 inches (203x49x89 cm)

All specifications subject to change without notice or obligation



Flat Free Tire

Flat-free tires have been added to the ET200, providing a smooth ride. Each tire contains a revolutionary technology that cushions and gives a ride similar to an air tire, but without the worry of tires going flat.



One-Piece Aerospace Polymer discharge nozzle

The discharge nozzle is now made of a new one-piece polymer design. Its smooth, molded shape is less likely to dent or bend if accidentally hit. It provides excellent air flow and can be rotated 360 degrees for maximum efficiency.

Front Bumper

The front bumper is now open to allow for more air volume out the sides when the nozzle is pointed downward. With the open bumper and the nozzle pointed straight down, it's a perfect position for cart paths and areas where a wider path needs cleared. The nozzle can also be pointed upwards to remove leaves from trees, or out to either side.



328 East Water St • PO Box 148 • Orrville, OH 44667
330.683.0075 • 1.866.VENTRAC
Fax: 330.683.0000
www.ventrac.com • info@ventrac.com